### Sujung Lee

PhD candidate, Climate Epidemiology and Public Health University of Bern

### **Gaps in Current Research**

#### Who is more vulnerable?

Sex, Age

Socio-economic

Existing Health Status

Daily Activity

Geological factors

Social cohesion level

Level of self-care

Housing and building

- How older individual characteristics modulate its effects remains unclear
- There is limited availability of detailed health information

### Aim of the study

Examine how individual characteristics of older adults modulate their vulnerability to heat in terms of emergency hospital admissions (EHA)

#### **Data & Methods**



Individual-level EHA cases Health survey by homecare services

Gridded 1-km daily temperature

Case time series design quasi-Poisson regression with **DLNM** 

#### Results

#### **Sex-specific differences**




- Living with a partner
- History of cancer, fractures, COPD



Primary diagnosis: endocrine, respiratory disease







 Primary diagnosis: skin, infectious, genitourinary diseases

### Daily tasks & Social interaction







Without assistance








Higher social interaction



OF BERN





# Who is more vulnerable among the most vulnerable? Assessing vulnerability profiles to heat in older adults in Switzerland

### Sujung Lee

PhD candidate

Climate Epidemiology and Public Health group, University of Bern

EGU25 - Vienna, April 2025



### Who is more vulnerable?

Sex, Age

Socio-economic

**Existing Health Status** 

**Daily Activity** 



Geological factors

Social cohesion level

Level of self-care

Housing and building





### Aims of the study



Lynchpics / Alamy Stock Photo

## Evaluation of heat-related health risks using emergency hospital admissions (EHA) in Switzerland

- Quantify the risk of EHA among older adults (aged ≥ 65 years) associated with heat episodes
- 2) Identify clinical profiles of old individuals with a higher risk of EHA during heat episodes (e.g., pre-existing health conditions, capacity of daily activities, social interaction level).

Data


**Methods** 


Results





### **Data**





- Individual-level emergency hospital admissions (EHA)
- Older adults (aged  $\geq$  65 years)
- Study period: 2019 2022

- Health information collected by Spitex
- Pre-existing health conditions, the capacity for daily activities, the level of social interaction, living arrangements (living alone/with partner, etc.)
- MeteoSwiss grid-temperature data
- Population-weighted daily maximum temperature
- 1km x 1km
- Population data: UN WPP-Adjusted Population Count, v4, 2020 (1km)

In<u>tro</u>

Data


**Methods** 







### **Study Design**



Gasparrini 2021

### **The Case Time Series Design**

Individual level setting + temporal structure:
 Reconstruction of longitudinal profiles of health outcomes
 and time-varying predictors in subject-specific series

quasi-Poisson regression analysis with DLNM

Data


**Methods** 








### **Descriptive statistics**



Spatial Coverage of EHA during warmer months (May - September) between 2019-2022


Age	Number of EHA			Number of patients		
	Male	Female	Total	Males	Female	Total
Total	13,954	16,313	30,267	8,427	10,583	19,010
65-74	3,170	2,653	5,823	1,817	1,630	3,447
75-84	6,081	6,680	12,761	3,707	4,327	8,034
85+	4,703	6,980	11,683	2,903	4,626	7,529







### Overall & sex-specific differences in heat-EHA risks



Overall, **13**% higher heat-EHA risks
Higher risk in **younger age** groups (65-74)

#### **Subgroups with higher heat-EHA risks:**



- Younger age group (age 65-84)
- Living with a partner




- Older age group (age 85+)
- Living with others (e.g., caregiver)





### Impact of daily task capacity and social interaction



Data


**Methods** 

Results






### Impact of daily task capacity and social interaction








### Pre-existing health conditions and main diagnosis





#### **Subgroups with higher heat-EHA risks**



- History of cancer, fractures, COPD
- Primary diagnosis: endocrine, respiratory disease




- History of anxiety, UTI, Dementia/Alzheimer's
- Primary diagnosis: skin, infectious, genitourinary diseases







### Pre-existing health conditions and main diagnosis



#### Existing CHD or dementia/Alzheimer's disease

- Respiratory diseases
- Endocrine and metabolic disorders
- Mental disorders

#### **Existing cancer**

- Infectious diseases
- Endocrine and metabolic disorders

#### **Existing diabetes**

Mental disorders

Data

**Methods** 

Results





### Take-home message

#### **Sex-specific differences**



- Living with a partner
- History of cancer, fractures, COPD
- Primary diagnosis: endocrine,
   respiratory disease




- Living with others
- History of anxiety, UTI,
   Dementia/Alzheimer's
- Primary diagnosis: skin, infectious, genitourinary diseases

#### **Daily tasks & Social interaction**





## Existing health condition & main diagnosis



OF BERN

Schweizerische Eidgenossenschaft



# Thank you!

sujung.lee@unibe.ch